

# Organizational Factors Influencing the Adoption of the District Health Information System 2 in Uasin Gishu Sub County Hospitals, Kenya

Kuyo RO, Muiruri L, Njuguna S

## References

- World Health Organization, Western Pacific Region (WPRO). The WHO Health Systems Framework. WPRO, 2016.
- See, K. E., and Clemen, R. T. Psychological and Organizational Factors Influencing Decision Process Innovation: the Role of Perceived Threat To Managerial Power, 2005. [https://faculty.fuqua.duke.edu/~clemen/bio/DA\\_in\\_Organizations.pdf](https://faculty.fuqua.duke.edu/~clemen/bio/DA_in_Organizations.pdf)
- Nutley, T., and Reynolds, H. W. "Improving the use of health data for health system strengthening." Glob. Health Action Vol. 6, No. 20001, 2013, pp. 1-10.
- Republic of Kenya. Health Sector Strategic and Investment Plan (KHSSP) July 2013-June 2017. Nairobi: Government Printers, 2013.
- Jitpaiboon, T., and Kalaian, S. "Analyzing the effect of top management support on Information System (IS) performance across organizations and industries using hierarchical linear modeling." Journal of International Information Management Vol. 14, No. 2, 2005, Article 5.



# WJMER

**World Journal of Medical Education and Research**

An Official Publication of the Education and Research Division of Doctors Academy

Reflective Analysis of Cleft Lip and Palate Management in a Tertiary Hospital in South India: Is There Room for Improvement?

Education in Communicating Methods - An Effective Tool for Improving Interpersonal Relationships Between Health Care Professionals and Patients

Awareness and Use of Antibiotics Among Jordanian Mothers for Treating Upper Respiratory Tract Infections

Clinico-Pathologic Discrepancies in Diagnosis of Maternal Mortality at Moi Teaching and Referral Hospital, Eldoret, Kenya

Organizational Factors Influencing the Adoption of the District Health Information System 2 in Uasin Gishu Sub County Hospitals, Kenya



ISSN 2052-1715



## **Organizational Factors Influencing the Adoption of the District Health Information System 2 in Uasin Gishu Sub County Hospitals, Kenya**

Kuyo RO, Muiruri L, Njuguna S

### **Institution**

*\*Moi University, Uasin Gishu County, Academic Highway, Eldoret, Kenya*

**WJMER, Vol 22: Issue 1, 2020**

### **Abstract**

Sound and reliable information is the foundation of decision making across all health system building blocks that include: service delivery; health workforce; health information; medical products, vaccines and technology; financing; leadership and governance. This study is built on the health information system pillar. The aim of this study was to assess the use of District Health Information System data in decision making in Uasin Gishu Sub County Hospitals. The specific objectives were to determine the level of knowledge, organizational, technical and behavioral factors that influence the use of DHIS2 data in Uasin Gishu Sub County Hospitals. The study was conducted in Uasin Gishu Sub County Hospitals. The study employed both quantitative and qualitative approaches using cross-sectional research design. A questionnaire was used to collect quantitative data from 283 health workers who were selected randomly while 10 key informants were selected purposefully from this sample for in-depth interviews. The quantitative data was coded and analyzed using R Software for descriptive, bivariate and multivariate logistic regression. Thematic analysis was used to analyze qualitative data using Qualitative Data Analysis (QDA) software. Bivariate association between the independent variables and the dependent variable was assessed using Pearson's Chi Square test and fishers exact test where chi square assumptions were violated. Multivariate analysis was done using logistic regression to assess for predictors. A P value of 0.05 was considered as significant. The results of the quantitative data were presented in the form of graphs, tables and charts, while the results for qualitative data were presented in the form of themes. Approval to conduct the study was obtained from the KeMU Scientific Ethics Research Committee (SERC) and from National Commission for Science, Technology and Innovation (NACOSTI). Consent was sought from participants for the study. The study found that 68.4% of the participants reported good, very good or excellent competence levels in data management using DHIS2 while use of information in DHIS2 to inform policy and operational decision making was reported as good, very good, and excellent by only 37.3%, 18.9%, and 8.0% respectively. A half of the participants (50.0%) acknowledged that there are adequate finances to run DHIS2, the main champions promoting use of DHIS2, information for decision making in the County were county health records and information officers (56.2%). Moreover, 61.7% of the participants agreed or strongly agreed that age influences the way health workers adopt and use DHIS2 in the hospitals while 65.4% of the participants were dissatisfied with the IT support received from the Ministry of Health. Although 80.9% of the participants had log in credentials, only 24.2% had difficulty with logging into the DHIS2. Furthermore, 79.5% had low or moderate level of training in DHIS2 but 15.0% had never trained and this could be the reason why only a third of the participants had some confidence in handling a task using DHIS2. The study concludes that the level of knowledge regarding the use of DHIS2 information is fair across the six Sub County Hospitals in Uasin Gishu County but utilization of DHIS2 information by county health managers for decision making is low. It also concludes that the main funder of the DHIS2 system is the County Government while support from National Government is minimal, while age influences the way health workers adopt and use DHIS2 data in Uasin Gishu Sub County Hospitals. Lastly, the level of training on DHIS2 is generally low while utilization of information on DHIS2 in facilitating evidence-based decision making in the Sub County Hospitals range from moderate to low. Consequently, the study recommends that the County scales up utilization of DHIS2 information and generates policy measures to ensure utilization of DHIS2 information to facilitate decision making at the County.

### **Key Words**

Organizational Factors; District Health Information System; DHIS2; Uasin Gishu County

### **Corresponding Author:**

Mr Richard Ole Kuyo I; E-mail: richardolekuyo@mtrh.go.ke

## Introduction

Globally, health information systems are critical for achieving universal health coverage. Information is vital for public health decision-making, health sector reviews, planning and resource allocation and programme monitoring and evaluation<sup>1</sup>. Organizations have to make complex choices amidst uncertainty, trade-offs and broad consequences, but responding to such situations in rational ways can be hampered by individual decision-makers' cognitive limitations<sup>2</sup>. Quality information is thus the foundation to health system improvements; however, health programmes frequently fall short of efficient use of data to inform decisions. Too often, data linger in reports and databases, and are not sufficiently used to inform programme development and improvement, policy development, strategic planning, or advocacy. Part of the reason for the breakdown in the process is that HIS are fragmented, complex, and do not fully respond to information needs. As a result, decision-makers are often unable to access the data they need in a timely manner to inform their upcoming decisions<sup>3</sup>.

The Health Information System in Kenya covers five key areas<sup>4</sup>:

(i) Information generation – the different forms of information and how they are collected, and stored; (ii) Information validation – the process of reviewing the information to improve its accuracy and representativeness; (iii) Information analysis – the process of understanding what the information is saying; (iv) Information dissemination – the process of sharing the emerging information from the analysis with relevant stakeholders, and (v) Information utilization – the process of ensuring information available is informing the decision-making process. These areas are all interlinked and, together, form the continuum of the Health Information System in Kenya. A number of organizational issues mediate on the decision-making process in Uasin Gishu Sub County Hospitals. These issues include: policies and procedures, organizational hierarchy and organizational politics. Counties have formalized policies and procedures that are designed to resolve common problems and to guide health managers when making decisions. These policies and procedures are in the form of documented disciplinary regulations which guide managers through a process of resolving issues with staff members.

Moreover, organizational hierarchy, which is the management structure in every county level government, is characterized by different levels of leadership which carry with them different degrees of authority. The degree of authority directly impacts on the nature of the decisions an individual

can make. For example, a County Health Records and Information Officer cannot make decisions about the overall goals of the County. However, the County Health Records and Information Officer can make decisions about how their department contributes to the achievement of the County's goals. See and Clemen posit that perceived threat to managerial value and control is a key barrier to decision process innovation and thus there is a tendency for managers to perceive such innovations as threats to their own value, discretion and control<sup>2</sup>.

Organizational politics refers to behaviour displayed by individuals and groups which is designed to influence others on use of health information systems. Individuals and teams will often use politics to advance their careers and advance their interests and ideas on health information technology adoption. This applies to Uasin Gishu Sub County Hospitals<sup>2</sup>. Organizations like Uasin Gishu Sub County Hospitals and its Departments are made up of individuals with different beliefs, values and interests. These differences are often the driving forces behind organizational politics that can influence use of DHIS2 data. For example, the County Health Records and Information Officer may well use politics to influence the County Director of Health to allocate more funds for Health Information Technology in their Department among other competing demands in the County. Top management support has long been conceived as an important factor in the success of Information System<sup>5</sup>. According to Loonam et al., a number of approaches are available for use by top managers in organizations to facilitate Information System (IS) activities. These include maintaining a positive attitude, building an effective and powerful coalition group, creating an inclusive steering committee, developing a strong vision for IS, aligning the IS strategy with the corporate strategy, communicating the IS initiative across the entire organization, and providing sufficient resources for the IS initiative<sup>6</sup>.

Environmental issues are among the external factors that influence the affairs of an organization. Some of these external factors are: the market in which the organization operates, the economy, government legislation, customers' reaction to the organization's products and services with respect to use of DHIS2<sup>2</sup>. Studies have been conducted in Kenya to assess the performance of HIS and various efforts have been implemented to improve the systems' efficiency. However, after years of investment in HIS, the Government of Kenya still struggles to provide quality and timely data for healthcare decision-making. This is particularly evident at the sub-national levels where there is a lack of systems to improve data access, synthesis, communication

and interpretation, all of which are inhibiting districts from making decisions about key service delivery issues<sup>3</sup>. Nutley and Reynolds further report that an assessment of the health management information system conducted between 2006 and 2007 described the existing routine HIS as fragmented and vertical with stand-alone systems at the national level. The paper-based, vertical systems resulted in data being “largely unavailable for effective planning, monitoring, and evaluation of the health system at all levels.” The National Health Information Strategy, developed in 2009, identified additional gaps related to insufficient use of data in decision-making. The health information strategy addressed these needs by calling for the elimination of the vertical nature of the routine HIS and the integration of existing data sources into one data warehouse. The DHIS2, an open-source, web-based health management information system, was identified as a key solution to the health information strategy and was implemented beginning in 2010. It was envisioned that the introduction of the DHIS2 would improve data use at all levels of the health system<sup>3</sup>.

See and Clemen posit that organizational culture is also key, in addition to managers’ individual attitudes towards change, since their perception of the organization’s ability to change is expected to play a role in innovation adoption<sup>2</sup>. They suggest that for innovation to occur and be successful there must be a perception among managers and other users that the organization can adapt to and implement the new processes. The PRISM framework assumes that if organizations promote a culture of information, they will also improve their competence in conducting RHIS tasks, thus improving their self-confidence to carry out RHIS tasks. If the work environment does not promote key RHIS attitudes and values, health workers may not internalize the values required to generate, maintain and improve the information system<sup>7</sup>.

The starting point in adopting e-health is the development of coherent national e-health policies and strategies. These requirements are in tune with national development plans, national ICT policies and with buy-in from healthcare workers – the users. The government of Kenya, in partnership with the private sector, has made important strides towards creating an environment suitable for the uptake of e-health. The efforts include the release of Standards and Guidelines for Electronic Medical Records (EMR) in Kenya (2010), Strategic Plan for Health Information Systems (HIS) (2009-2014), Kenya ICT Policy (2006) and the Kenya Communications Act (2009), all of which mark important milestones in the creation of an environment with legal and regulatory framework conducive to the development and adoption of e-health in Kenya<sup>8</sup>. The reasons

advanced for the introduction of these systems were: health facilities collected information haphazardly and irregularly; information collected was incomplete and unreliable with limited analysis and use at the point of collection, and too much data was collected rendering analysis impossible<sup>9</sup>. Odhiambo-Otieno continues to point out that all the systems within the DHSs in Kenya are characterized by a lack of integration, and are disjointed and widely dispersed, with no effective central co-ordination to ensure that the information they contain is readily available to other systems. The Kenya Health Sector Strategic and Investment Plan (KHSSP) of July 2013-June 2017 notes a number of problems, among them: the lack of comprehensive systems in place to ensure and monitor evidence-based policy making; the absence of systems to generate data demand and knowledge management, and limited use of information on vital events to guide decision-making<sup>4</sup>.

The national, county and facility healthcare levels lack effective referral monitoring systems to promote appraisal, feedback and accountability for provider actions. As an integral part of the healthcare system, referrals must be included in the health sector performance M&E system. Therefore, a system for maintaining records and information should be mandatory. The current routine Ministry of Health (MOH) registers do not provide for the collection of referral data. Where data are collected, the quality is poor and the data rarely used. The system needs standardized referral tools to communicate referrals and capture referral data. These tools would include referral forms, referral registers, data collection and update forms, patient tracking forms, feedback forms, and a directory of services. Currently, accountability is absent and referral data collection is not a priority at the facility level<sup>10</sup>. Another concern that has been raised by HIS experts is that most developing countries lack an information culture which would focus on strengthening the supervision, feedback and support aspects for the overall HIS. Feedback constitutes an integral component of the health information cycle as this is necessary for keeping communication lines open to discuss and resolve problems in the system leading to improvements in the entire HIS. However, health workers collating and transmitting health data in developing countries hardly ever receive any feedback, and when such feedback is received it is mostly of the kind that is negative, marked by long delays and is not very constructive<sup>11-14</sup>.

The HIS policy states that “while the records (the documents or disks) are unequivocally the property of the practitioner or institution, the data is not.” Data is not capable of being owned, and many different people have an interest in it, including and especially the person to whom it relates. In addition,



all the health and health related data and information shall belong to the Government of Kenya (GoK)<sup>15</sup>. Another problem commonly cited with HIS systems in developing countries is the lack of data ownership occasioned by health workers' perception that the purpose of a HIS is simply to enable submission of reports to the higher levels, leading to a situation where there is no incentive for health workers at levels below the national level to analyse, use and interpret health data<sup>13,16,17</sup>.

An improved and harmonized health reporting system is critical for health system strengthening since it can generate timely information for proper planning, monitoring and evaluation of service delivery at all levels of the health system. However, in most developing countries, particularly in the sub-Saharan Africa, health reporting has been dominated by paper-based data collection and storage systems that tend to generate incomplete and inaccurate reports. Evidence shows that the continued use of paper-based systems contributes to poor data quality in terms of reliability, availability, timeliness and completeness of reporting, all of which could compromise health service delivery. In Malawi, for instance, Makombe et al. have found that the use of paper-based health facility reports to generate national summaries has resulted in a 12% underreporting of persons on first-line antiretroviral treatment because many sites did not submit accurate data to the national level<sup>18</sup>. Effective monitoring and supervision of healthcare programmes depends on complete, accurate and timely flow of data between primary healthcare facilities, hospitals and a central information hub. However, data routinely collected at healthcare facilities and submitted to district offices is commonly described as being unreliable<sup>19</sup>.

A study has been conducted in South Africa to explore and describe staff experiences in managing data and/or information when utilizing the DHIS2 as a support mechanism for data quality improvement, including the strengths and weaknesses of current data management processes. The findings highlighted the strengths, weaknesses and key barriers as experienced by the staff. The strengths, such as having data capturers and DHIS2 software at most if not all facilities, were highlighted. The weaknesses and key barriers highlighted included staff shortages of both clinical and health management information staff, shortage of resources such as computers and Internet access, poor feedback, training needs and data quality issues. Most of the weaknesses and key barriers called for further and proper implementation of the DHMIS policy, the Standard Operating Procedures (SOPs), the e-health strategy and training of the staff, since there were reported gaps between the

policy and the reality and/or practice at the facility<sup>14</sup>.

A health system needs internal mechanisms to develop performance targets, track progress as well as create and manage knowledge for continuous improvement. PRISM allows countries to assess the casual pathways of the determinants for RHIS performance and how they affect systems prior to implementing interventions to improve the quality of the data and use of information, and to later evaluate the change brought about by the interventions. As such, it creates opportunities for improvement by identifying the strengths and weaknesses of the health information system<sup>7</sup>. An efficient and effective healthcare delivery system must have a proper linkage of the six pillars on which it is founded. However, little attention has been given to the Health Information Pillar as the critical component that glues together the other pillars making up the health system<sup>1</sup>. Public hospitals face challenges in collecting, analysing, evaluating and interpreting critical health data and information to guide evidence-based decision-making<sup>7</sup>. Incomplete, incorrect and inconsistent data affect managers' confidence to use data.

Hospitals still lack the necessary capacity to use of information in DHIS2 for decision-making at the various tiers<sup>20</sup>. Knowledge gaps among the users of DHIS2 on how to use information to facilitate evidence-based decision-making in Uasin Gishu Sub County Hospitals, coupled with critical shortages of human resources, continue to affect the quality of data generated and used. Consequently, inadequate use of data and information in DHIS2 could affect management of workload in specific areas to inform, for instance, justification for additional health workers to address critical shortages, or their redistribution, interventions and better management of communicable and non-communicable diseases, including service access and availability, e.g. where to place new facilities. In addition, it may affect the referral system of patients from the community level. Through the cases referred, the County health managers would miss out on very important data to determine if such cases qualified to be referred and whether or not there was need to improve local facilities and staffing to handle such cases and thus decongest referral hospitals. Failure to use data and information in DHIS2 may also affect budgetary allocation adversely.

There is emphasis on improving maternal, neonatal and child health indicators, the primary target in the SDG 3. Progress has been hindered by poor policy implementation and weak health systems, which do not engage with, or respond to, community needs. This results in poor access and utilization of preventive and curative health services<sup>21</sup>. Therefore,

the researchers sought to determine the organizational factors influencing the use of District Health Information System (DHIS2) data in Uasin Gishu Sub County Hospitals with a view to recommending better ways of using information in DHIS2 for sound decision-making and health care improvement.

### Participants and Methods

A cross-sectional descriptive research design employing both qualitative and quantitative approaches was used in the study. The study was conducted in Uasin Gishu County which has six Sub-County Hospitals. The County has a population of 894,179 people with a growth rate of 3.6% based on the 2009 Population and Housing Census, and it is located on a plateau with a cool and temperate climate<sup>22</sup>. The total health workforce in Uasin Gishu County was 1061 at the time of study. The target population for the study comprised all healthcare providers in the study area. A simple random sampling technique was used to select the participants in the study, but 10 members of the CHMT were purposively selected for in-depth

interviews. The formula for proportions,  $\{n_0 = Z^2pq/e^2\}$ , was used to determine the sample size of 385 and was adjusted to small population using the formula below.

$$n = \frac{n_0}{1 + \frac{(n_0 - 1)}{N}}$$

The sample for each cadre of health workers was calculated in proportion to the total population for each group using the following formula:  $n_x = x/N_0 * n$ ; where  $n_x$  is the sample for specific cadre of health workers;  $x$  is the total number of the health workers in a specific cadre;  $N_0$  is the total number of health workers in the study area while  $n$  is the sample size. Using the formula, each cadre of health workers included in the study is shown in the table below.

**Table 1:** Population Sample Size Distribution

S/No	Staff Cadre	Sample Size ( $n_x$ )	Total Population ( $x$ )
1	Health Records and Information Officers	8	31
2	Nurses	150	563
3	Clinical Officers	22	82
4	Pharmacists	17	65
5	Laboratory Technologists	22	81
6	Radiographers	2	8
7	Nutritionists	6	22
8	Medical Doctors	8	29
9	Public Health Officers	43	160
10	Physiotherapists	2	8
11	Occupational Therapists	1	5
12	Hospital Administrators	2	7
	<b>Total</b>	<b>n=283</b>	<b>N<sub>0</sub>=1061</b>

Only participants who had worked for the Ministry of Health for a period of more than six months at the time of the study were enrolled. Trained assistants collected data using structured questionnaires and an interview schedule for in-depth data. Tape-recorders and field note books were used to record the proceedings during the in-depth interviews. Participation in the study was completely voluntary. The collected data was checked for accuracy and completeness. Thereafter, direct data entry were done using Excel spread sheets. Descriptive statistics was used to analyse quantitative data. The tape recorded information

was transcribed into transcripts in Ms Word. The transcripts were then imported into the Qualitative Data Analysis (QDA) Software and coded into themes for thematically analysed. Ethical clearance and approval to conduct the study was sought from the Scientific Ethics Research Committee (SERC) of the Kenya Methodist University (KeMU) and the National Commission for Science and Technological Institutions (NACOSTI). The researchers further sought informed consent from all participants of the study and permission from other respective institutions within the research site.

**Table 2:** Socio-Demographic Characteristics

Variable	N	n (%)
<b>Site</b>		
Ainabkoi		49 (22.3%)
Kapseret		41 (18.6%)
Kesses	220	24 (10.9%)
Moiben		32 (14.5%)
Turbo		45 (20.5%)
Ziwa		29 (13.2%)
<b>Age (Years)</b>		
18-24		11 (5.1%)
25-30		72 (33.2%)
31-40	217	81 (37.3%)
41-50		41 (18.9%)
51-60		12 (5.5%)
Male	212	76 (35.8%)
<b>Education Level</b>		
Certificate		21 (9.7%)
Diploma	217	150 (69.1%)
Degree		43 (19.8%)
Masters		3 (1.4%)
<b>Years Employed</b>		
1-5		85 (41.3%)
6-10		49 (23.8%)
11-15	206	31 (15.0%)
>15		41 (19.9%)

A total of 10 key informants, 8 males and 2 females, drawn from the County Health Management Team (CHMT) were approached for interviews. However, one of them, a female, declined. One hundred and seven (50.0%) of the participants acknowledged that there were adequate finances to run DHIS2. Of this number, 92(86.0%) responded when they were asked about the financiers of DHIS2. Of the 92, 72(79.1%) and 11 (12.0%) said that the County Government and donors, respectively, financed DHIS2. Three-quarters (75.6%) agreed or strongly agreed that there was adequate support on matters of DHIS2 from the Sub-County or County Health Records and Information Officer. Table 3 below summarizes the main champions of DHIS2 information use for decision-making at the County.



**Table 3:** Champions of DHIS2 Information Use to Facilitate Decision Making in the County

Champion(s)	N	n (%)
County Governor	210	28 (13.3%)
Deputy Governor	210	3 (1.4%)
County Director of Health	210	61 (29.0%)
Medical Superintendent	210	27 (12.9%)
County Health Records and Information Officer	210	118 (56.2%)
Sub County Health Records and Information Officer	210	82 (39.0%)

The main champions of DHIS2 information use to facilitate decision-making were the County Health Records and Information Officers (56.2%), and the Sub-County Health Records and Information Officers (39.0%). The determinants of use of DHIS2 information were mainly availability of computers (67.0%), availability of network and internet services (53.0%), and presence of trained staff (53.0%).

**Table 4:** Factors Favouring DHIS2 Information Use to Facilitate Decision-Making

Variable	N	n (%)
Availability of computers	215	144 (67.0%)
Network and internet services	215	114 (53.0%)
Power backup	215	65 (30.2%)
ICT support supervision	215	94 (43.7%)
Conducive policy and legal framework	215	53 (24.7%)
Trained staff	215	114 (53.0%)
Management support	215	89 (41.4%)
Organizational politics	215	24 (11.2%)

Up to 78.5% agreed or strongly agreed that organizational hierarchy influenced the use of DHIS2 data and 80.8% agreed or strongly agreed that there was improved staff performance due to utilization of DHIS2. Eighty-two (38.0%) participants thought that the ownership of the data rests with the national government and 87(40.3%) thought that it rested with Uasin Gishu County government. Only 2(0.9%) thought that the patient owned the data (Table 5). The external factors influencing the use of DHIS2 included the government legislation (54.8%) and customer reaction to DHIS2 services (28.1%).

**Table 5:** Ownership of the Data and External Factors Influencing Use of DHIS2

Variable	N	n (%)
<b>Owners of the Data</b>		
National Government	216	82 (38.0%)
Uasin Gishu County Government	216	87 (40.3%)
Department	216	55 (25.5%)
Patient	216	2 (0.9%)
<b>External Factors</b>		
Market	219	14 (6.4%)
Government legislation	217	119 (54.8%)
Customer reaction to DHIS2 services	217	61 (28.1%)

The major challenges experienced in the use of information in DHIS2 for evidenced-based decision-making in Uasin Gishu Sub County Hospitals included lack of management support (34.3%), poor skills among the users (48.6%), lack of adequate computers (36.7%), and unreliable internet connectivity (47.1%) (Table 6). Others included lack of power backup (27.6%) and resistance to change (21.0%).

**Table 6:** Challenges in the Use of DHIS2 Information for Evidenced-Based Decision-Making

Variable	N	n (%)
Lack of management support	210	72 (34.3%)
Poor skills set among users	210	102 (48.6%)
Lack of adequate computers	210	77 (36.7%)
Unreliable internet services	210	99 (47.1%)
Lack of power backup	210	58 (27.6%)
Lack of antivirus software	210	34 (16.2%)
Resistance to change	210	44 (21.0%)
Lack of accurate and quality data	210	57 (27.1%)

They key informants highlighted the following as the main factors that determine the utilization of data in organization:

- Demand for information:** Demand for information was highlighted as among the organizational factors that influenced use of the DHIS2 system. The respondents explained that the information should be availed to all those in need, especially the health professionals. Participant 01 explained this point as follows: “Eh....one is the need for information — for all to be able to access... so that demand or information....” (Personal Communication, Participant 01).
- Teamwork:** Additionally, Participant 01 highlighted the importance of teamwork thus: “..... it is also the issue of teamwork.... unlike previously where it was a preserve of HRIOs (laughter) where only one person was the main player. Whereas all of us are need of information and create the same. You cannot be told that you can take this food but you cannot enter the hotel.”
- Hierarchical utilization of data:** It was also reported that utilization of data within the DHIS2 system has been affected by the hierarchical arrangement which limits access to the system in favour of senior officers in the organization. This was vividly explained as follows: “Utilization of data and..... and DHIS2

- varies with levels top sub-county and County level managers use the data more than lower level staff" (Personal Communication, Participant 05).
- iv. Policy: The presence of strong policies was also highlighted by Participant 05 who explained that policy influences the use of the DHIS2 system: "Policies also influence use of data in DHIS2" (Personal Communication, Participant 05).
  - v. Interest in utilization of data: The respondents also said the utilization of DHIS2 data could be influenced by the individual interest of top level management. Therefore, if they are really interested in it the rest of the system will certainly embrace DHIS2: "... if top management is interested in/our data obvious by this will improve data use" (Personal Communication, Participant 05).
  - vi. Internal and external factors: Internal factors such as staff knowledge and external factors like management support and provision of adequate servers to the staff reportedly influenced the utilization of DHIS2 data. Participant 05 explained this point as follows: "External and internal factors such as staff knowledge and management support, server affects as also" (Personal Communication, Participant 05).
  - vii. Political interference: The respondents also said political interference tended to influence how reports were made from the DHIS2 system data. This point was expressed in the following words: "Political really affects legal, e.g. report requests" (Personal Communication, Participant 05).

**Table 7:** Association between organizational factors influencing the use of DHIS2 and departments level of DHIS2 data use.

Variable	N	Department Level of Data Use in DHIS2			P-value	OR (95% CI)
		Low	Moderate	High		
There is adequate financial support for the running of DHIS2 functions in the County						
Disagree		49 (62.8%)	36 (42.4%)	14 (36.8%)		Reference
Agree	201	29 (37.2%)	49 (57.7%)	24 (63.2%)	0.008	2.26 (1.33, 3.84)
There is adequate support on matters of DHIS2 from your Sub County or County Health Records and Information Officer						
Disagree		29 (38.7%)	15 (17.4%)	4 (10.0%)		Reference
Agree	201	46 (61.3%)	71 (82.6%)	36 (90.0%)	<0.0001	3.52 (1.84, 6.75)
Organizational hierarchy influence use of DHIS2						
Disagree		24 (32.4%)	12 (14.0%)	5 (12.8%)		Reference
Agree	199	50 (67.6%)	74 (86.0%)	34 (39.0%)	0.006	2.80 (1.41, 5.56)
Use of DHIS2 has improved staff performance						
Disagree		24 (32.0%)	12 (14.0%)	1 (2.5%)		
Agree	201	51 (68.0%)	74 (86.0%)	39 (97.5%)	<0.0001	4.46 (2.15, 9.26)

Similarly, all the indicators for the level of organizational factors influencing use of DHIS2 data were significantly associated with the department level of DHIS2 data use ( $p < 0.05$ ). The results indicate that compared to respondents who disagreed, those who agreed that organizational factors influence the use of DHIS2 data were associated with higher odds of reporting that the departments were moderate than low or high than low level use of DHIS2 data ( $OR > 1$  for all the indicators).

## Discussion

The study's main objective was to determine the organizational factors influencing the use of DHIS2 in Uasin Gishu Sub County Hospitals. The findings showed that there were adequate finances to run DHIS2 and most of the funding (79.1%) came from the County Government. The research further underscored that support on matters of DHIS2 came mainly from Sub-County or County Health Records and Information Officers. Besides, the same cadre of professionals was found to be the main champions promoting the use of DHIS2 information for decision-making in the County. Some of the main determinants in the use of information in DHIS2 for decision-making included: availability of computers, networking and internet services, and the presence of trained staff. In addition, the majority of the participants affirmed that the utilization of DHIS2 improves staff performance and can be influenced by organizational hierarchy.

The study also showed that the use of DHIS2 data can be influenced by government legislation, and customer reaction to DHIS2 services. However, major challenges experienced while using information in DHIS2 for evidenced-based decision-making included lack of management support, poor skills among the users, lack of adequate computers, and unreliable internet connectivity. Others included lack of power backup and resistance to change. In agreement with the findings of the study, a previous research has established that the use of computers systems, training and harmonization of indicators facilitated the increased use of HMIS data but a lack of capacity to analyse, interpret and use data by both data producers and users was the main challenge in data utilization for decision making<sup>23</sup>. Additionally, another study notes that organizational factors, especially support, for data review and sharing forums were seen to affect information use<sup>24</sup>.

The challenges found in the present study have been recorded elsewhere, among them inadequate infrastructure, low computer proficiency, inadequate staffing capacities, lack of proactive leadership and information ownership at all levels, as well as the still unmet demand for better quality and complete health data<sup>25</sup>. On the same issue, a Botswana study cites several challenges in the national health information management system, including inadequate IT infrastructure including computers and unreliable internet access; limited skills in using the system and inadequate human resource capacity<sup>26</sup>. In addition, a similar trend was observed in Cameroon<sup>27</sup>. Another study in Iran investigated the relationship of resources of the organizations, organizational knowledge, processes, managerial structure, values and goals with the use

of computer and demonstrated a significant relationship between managerial structures, resources of the organizations and attitude<sup>28</sup>.

Health information systems are critical to reaching universal health coverage. Information is vital for public health decision-making, health sector reviews, planning and resource allocation and program monitoring and evaluation. However, it seemed that no assessment has been done to ascertain that the tiers use information derived from DHIS2 to make evidence-based decisions in the Uasin Gishu Sub County Hospitals. The findings of the study would help the Uasin Gishu County Health Managers and Health System in general to adopt and periodically assess relevant health information systems to enhance the use of DHIS2 information for evidence-based decision-making and to ensure return on investment in County Public Health Facilities and Kenyan Health Care Delivery System as a whole. In addition, the study results would strengthen HIS Pillar and fast-track the realization of Kenya Vision 2030, SDGs, HSS as well as add to existing knowledge in health information systems.

Whereas the findings of this study are important, the researchers experienced a number of limitations. Some participants, especially those in management, were not conversant with the use of DHIS2. The study being cross-sectional, the researchers were unable to control the truth of the information because the information was collected at a particular point in time. Therefore, what happened before or after was not captured during the study.

## Conclusion

Based on the study findings, it is evident that the main funding for the DHIS2 system comes from the County Government. Health records and information officers are the main promoters of DHIS2 information use. Additionally, the main determinants of DHIS2 information use are: availability of computers, network and internet services, trained staff and legislation. Lastly, the main challenges inhibiting the use of information in DHIS2 for evidenced-based decision-making include: lack of management support, poor skills among the users, lack of adequate computers, unreliable internet connectivity, lack of power backup and resistance to change. In light of these findings, the study recommends for more support and funding from the national government for DHIS2 activities. The political elite and entire healthcare workforce should be involved in championing and promoting the use of DHIS2 information. Moreover, there is need for ample supply of computers, network, internet services, and other accessories as well as

training staff to boost ICT infrastructural prerequisites for proper functioning of DHIS2.

## References

1. World Health Organization, Western Pacific Region (WPRO). The WHO Health Systems Framework. WPRO, 2016.
2. See, K. E., and Clemen, R. T. Psychological and Organizational Factors Influencing Decision Process Innovation: the Role of Perceived Threat To Managerial Power, 2005. [https://faculty.fuqua.duke.edu/~clemen/bio/DA\\_in\\_Organizations.pdf](https://faculty.fuqua.duke.edu/~clemen/bio/DA_in_Organizations.pdf)
3. Nutley, T., and Reynolds, H. W. "Improving the use of health data for health system strengthening." *Glob. Health Action* Vol. 6, No. 20001, 2013, pp. 1-10.
4. Republic of Kenya. Health Sector Strategic and Investment Plan (KHSSP) July 2013-June 2017. Nairobi: Government Printers, 2013.
5. Jitpaiboon, T., and Kalaian, S. "Analyzing the effect of top management support on Information System (IS) performance across organizations and industries using hierarchical linear modeling." *Journal of International Information Management* Vol. 14, No. 2, 2005, Article 5.
6. Loonam, J., McDonagh, J., Kumar, V., and O'Regan, N. "Top managers & information systems: Crossing the Rubicon!" *Strateg. Chang.* Vol. 23, No. 2-3, 2014, pp. 205-224.
7. Belay, H., and Lippeveld, T. (Eds). *Inventory of PRISM Framework and Tools: Application of PRISM Tools and Interventions for Strengthening Routine Health Information System Performance. Measure Evaluation, USAID, 2013.*
8. Juma, K., Nahason, M., Apollo, W., Gregory, W., and Patrick, O. "Current Status of E-Health in Kenya and Emerging Global Research Trends." *Int. J. Inf. Commun. Technol. Res.* Vol. 2, No. 1, 2012, pp. 50-54.
9. Odhiambo-Otieno, G. W. "Evaluation of existing district health management information systems a case study of the district health systems in Kenya." *Int. J. Med. Inform.* Vol. 74, No. 9, 2005, pp. 733-744.
10. Byl, S., Punia, M., and Owino, R. *Devolution of Healthcare Services in Kenya: Lessons Learnt from Other Countries.* KPMG, 2013.
11. La Vincente, S., Aldaba, B., Firth, S., Kraft, A., Jimenez-Soto, E., Clark, A., ... Minh, H. Van. "Supporting local planning and budgeting for maternal, neonatal and child health in the Philippines." *Heal. Res. Policy Syst.* Vol. 11, No. 3, 2013, <https://health-policy-systems.biomedcentral.com/track/pdf/10.1186/1478-4505-11-3>.
12. Chitama, D., Baltussen, R., Ketting, E., Kamazima, S., Nswilla, A., Mujinja, P. G., ... Reich, M. "From papers to practices: district level priority setting processes and criteria for family planning, maternal, newborn and child health interventions in Tanzania." *BMC Womens. Health* Vol. 11, No. 46, 2011,
13. Hotchkiss, D. R., Aqil, A., Lippeveld, T., and Mukooyo, E. "Evaluation of the Performance of Routine Information System Management (PRISM) framework: evidence from Uganda." *BMC Health Serv. Res.* Vol. 10, No. 188, 2010, <https://bmcwomenshealth.biomedcentral.com/track/pdf/10.1186/1472-6874-11-46>
14. Garrib, A. et al. "An evaluation of the District Health Information System in rural South Africa." *S. Afr. Med. J.* Vol. 98, No. 7, 2008, pp. 549-52.
15. Ministry of Medical Services Public Health & Sanitation. *Standards and Guidelines for Electronic Medical Record Systems in Kenya.* Nairobi: MMSPHS, 2010.
16. AbouZahr, C., and Boerma, T. "Health information systems: the foundations of public health." *Bull. World Health Organ.* Vol. 83, No. 8, 2005, pp. 578-583.
17. Riley, P. L., Zuber, A., Vindigni, S. M., Gupta, N., Verani, A. R., Sunderland, N. L., ... Wakibi, S. "Information systems on human resources for health: a global review." *Hum. Resour. Health* Vol. 10, No. 7, 2012, <https://human-resources-health.biomedcentral.com/track/pdf/10.1186/1478-4491-10-7>
18. Kiberu, V. M., Matovu, J. K., Makumbi, F., Kyozi, C., Mukooyo, E., & Wanyenze, R. K. "Strengthening district-based health reporting through the district health management information software system: the Ugandan experience." *BMC Med. Inform. Decis. Mak.* Vol. 14, No. 40, 2014, <https://bmcmmedinformdecismak.biomedcentral.com/track/pdf/10.1186/1472-6947-14-40>
19. Jimenez Soto, E., La Vincente, S., Clark, A., Firth, S., Morgan, A., Dettrick, Z., ... Prasai, Y. "Developing and Costing Local Strategies to Improve Maternal and Child Health: The Investment Case Framework." *PLoS Med.* Vol. 9, No. 8, 2012, e1001282.
20. Mouton, J., Gaillard, J., and van Lill. *Science Granting Councils in Sub-Saharan Africa.* International Development Research Centre (IDRC-CRDI), 2014.
21. Manual, F., Biedron, R. T., Derlaga, J. M., Gnofo, P. A., Hammond, D. P., Jones, W. T., ... Wood, W. A. "FUN3D Manual: 13.1," *Tech. Rep. TM-2017-219580.* NASA Technical Memorandum 218761, 2015.
22. Kenya National Bureau of Statistics and Ministry of Planning National Development and

- Vision 2030. Kenya - 2009 Kenya Population and Housing Census (10 Per Cent sample, every 10th household), Population and Housing Census. KNBS & MPND, 2009.
23. Humba, G. T. Assessing the Use of HMIS Data for Health Services. Unpublished MSc Thesis, Mzumbe University, Tanzania 2015.
  24. Chorong, D. W. Determinants of Effective Utilization of Health Management. Unpublished MA Thesis, University of Nairobi, 2016.
  25. Karuri, J., Waiganjo, P., and Orwa, D. "Implementing a Web-based Routine Health Information System in Kenya: Factors Affecting Acceptance and Use." *Int. J. Sci. Res.* Vol. 3, No. 9, 2014, pp. 1843-1851.
  26. Seitio-kgokgwe, O., and Mashalla, Y. "Utilization of the District Health Information Software (DHIS ) in Botswana: from Paper to Electronic Based System." *Proceedings of the IST-Africa Week Conference*, 11-13 May, 2016, Durban South Africa.
  27. Asah, F., and Ivar, J. "Analysing inhibitors of integrating and routinizing Health Information Systems for Universal Health Coverage: the case of Cameroon." *Journal of Health Informatics in Africa* Vol. 4, No. 1, 2017, pp. 114-121.
  28. Barzekar, H., and Karami, M. Organizational Factors that Affect the Implementation of Information Technology: Perspectives of Middle Managers in Iran. *Acta Inform Med.* Vol. 22, No. 5, 2014, pp. 325-328.

The World Journal of Medical Education & Research (WJMER) is the online publication of the Doctors Academy Group of Educational Establishments. It aims to promote academia and research amongst all members of the multi-disciplinary healthcare team including doctors, dentists, scientists, and students of these specialties from all parts of the world. The journal intends to encourage the healthy transfer of knowledge, opinions and expertise between those who have the benefit of cutting-edge technology and those who need to innovate within their resource constraints. It is our hope that this interaction will help develop medical knowledge & enhance the possibility of providing optimal clinical care in different settings all over the world.



# WJMER

**World Journal of Medical Education and Research**

An Official Publication of the Education and Research Division of Doctors Academy

